

C3 Pro

Hisense 4K Triple Laser Mini Projector

Introducing the Hisense C3 Pro Smart Mini Projector. Turn any space into a cinema with an adjustable 65"–300" screen in stunning 4K UHD. The Hisense Gimbal Design offers effortless 360° horizontal and 260° vertical adjustment, so you can project almost anywhere. At 3000 ANSI Lumens, every movie, game and show stays bright and vivid. A 5000:1 native contrast delivers deeper blacks and brighter whites, while 7 levels of IRIS control keep shadows detailed at any screen size. Triple Laser Light Source and 4K AI upscaling bring it all into sharp focus. Big-screen cinema, wherever you set it down.



65"–300" Adjustable Projection Size

Transform your movie nights with an incredible projection size ranging from 65" to a massive 300" in stunning 4K UHD resolution.



7 Levels IRIS

The C3 Pro delivers clearer, sharper projection with more detailed shadows and deeper blacks in any lighting condition and at any screen size, thanks to 7 levels of IRIS control and Precise Adjustment.



3000 ANSI Lumens Brightness

Transform your home entertainment with the Hisense 4K C3 Pro's 3000 ANSI Lumens brightness. This feature delivers a bright, vivid, and colourful viewing experience, making every movie night, gaming session, and TV show truly unforgettable.



TRICHROMA Triple Colour Laser (Trichroma)

Witness incredibly vivid colours right before your eyes with advanced triple laser technology. RGB pure laser and 118% BT.2020 (ultra-wide cinematic colour range) deliver unmatched depth, richness, and true-to-life visuals.



5000:1 Native Contrast

Embrace the power of a 5000:1 native contrast. Deeper blacks, brighter whites—unlocking a super-wide contrast range that unveils ultimate black and white performance, ensuring subtle nuances during transitions.

4K 4K AI Upscaling

With 4K AI upscaling, lower-resolution content is elevated to deliver a stunning viewing experience with enhanced sharpness and detail. It's remarkable how much more each pixel can achieve.



Hisense Gimbal Design

Easily adjust the projector to the perfect viewing angle using a gimbal that offers 360° horizontal and 260° vertical movement. Seamlessly project movies on both screens and ceilings for a versatile viewing experience.




4K Lossless Optical Zoom

Adjust the zoom without losing any sharpness or clarity. The flexible 0.9–1.5:1 throw ratio ensures the image stays in 4K, no matter how much you zoom in or out.

C3 Pro

Dimensions & Weight		Ports	
Dimensions (W×D×H)	10.1"× 9.7" × 11" 271 x 245 x 279 mm	HDMI	2x HDMI 2.1 (ALLM)
Weight	17.2 lbs / 7.8kg	HDMI eARC / CEC	Yes (eARC on HDMI 1)
Packaged Dimensions	22.8" x 18.7" x 15.7" 579 x 475 x 399 mm	USB	2x USB 3.0 (Type A)
Packaged Weight	25.6 lbs / 11.6kg	RF Antenna	No
Picture		Ethernet (LAN)	1 (Gigabit)
Projection Size	65"-300"	Digital Audio Output	1 (Optical)
Brightness	Up to 3,000 ANSI Lumens	Analog Audio Output	1 (headphone)
Colour Space	118% BT.2020 Colour Volume Ratio	Other Features	
Contrast Ratio	Up to 5,000:1 with IRIS	Console Colour	Gray
HDR	Dolby Vision, HDR10+, HDR10, HLG	Eye Protection	Yes
Light Source	R+G+B Triple Laser	HSR240	Yes (low to 1ms latency)
Laser Life	25,000+ Hours	Filmmaker mode	Yes
Throw Ratio	0.9-1.5 1	IMAX Enhanced	Yes
Chipset	0.47" DMD	Control4 Compatible	Yes
Audio		3D Ready	Compatible (Active Glasses sold separately)
Audio Output Power	56W, 2.1ch sound by Devialet	Freesync Premium	Yes, LV2
Surround Sound	DTS Virtual:X, Dolby Audio	VRR	1080P@48Hz-240Hz
Smart Features		Zoom	1.6x Optical, and Digital
Smart TV Platform	VIDAA OS	Self-adaptive Wall Colour	Yes
App Store	VIDAA App Store	Auto focus	Yes
Streaming Services	Netflix, YouTube, Amazon Prime Video, Disney+	Auto Screen Fit	Yes
Voice Assistant	VIDAA Voice	Auto Keystone correction	Yes
Screen Mirroring	Airplay2, Miracast	Auto Obstacle Avoidance	Yes
Connectivity		Lens Shift	Yes, Offset range ±100% vertical, ±35% horizontal
Wi-Fi	802.11a/b/g/n/ac/ax/be, Wi-Fi 7	IRIS	Manually set, 7 levels, 2 preset modes.
Bluetooth	V5.4	Gimbal stand	360° Horizontal, 260° vertical
Wired Ethernet	Gigabit LAN	Accessories	
POWER		Remote	voice remote with backlight
Power Consumption	180 W	Quick Start Guide / Manual	QSG in box, Manual online
Standby Consumption	<0.5 W	Power adapter	Yes
Power Supply	Power supply:100-240V~ 50/60Hz Max 2.5A	Battery	2pcs AAA Battery
Power Input	Power input: 36VDC, 5A	WARRANTY/UPC	
		Warranty	1 Year limited Warranty
		UPC Code	888143030098

Projection Distance & Screen Size



Screen Size	300"	150"	120"	100"	65"
Projection Distance					
mm	5978~9963	2989~4982	2391~3985	1993~3321	1295~2159
inch	235~392	118~196	94~157	78~131	51~85